

## AMENDMENTS TO THE CLAIMS

Claims 1 has been amended. The changes in these claims are shown with ~~strikethroughs~~ for deleted matter and underlining for added matter. A complete listing of the claims is set out below, with proper claim identifiers.

1. (Currently Amended) A flame resistant union fabric obtained by co-weaving:  
a compound yarn (A) comprising 30% to 70% by weight of the union fabric,  
said compound yarn obtained by compounding a halogen-containing flame resistant fiber (a-1) including 25 to 50 parts by weight of an antimony compound in 100 parts by weight of an acrylic based copolymer ~~100 parts by weight~~ obtained by polymerizing 30 to 70% by weight of a monomer mixture including acrylonitrile and 0 to 10% weight of a vinyl based monomer copolymerizable therewith ~~0 to 10% by weight, and an other~~ another fiber (a-2), the compound yarn (A) having an elongation percentage less than 5% under a condition of a load of 300 mg/metric count of No. 17, and of a temperature range of 100 degrees C to 500 degrees C; and  
a cellulosic fiber yarn (B) comprising 70 to 30% by weight of the union fabric.
2. (Original) The flame resistant union fabric according to Claim 1, wherein the cellulosic fiber yarn (B) consists of a t least one kind selected from a group consisting of cotton, hemp, rayon, polynosic, cupra, acetate, and triacetate.